

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	determin\$4 near10 domain\$4 near5 name\$1 near10 cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:22
L2	31	"6167564"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:18
L3	22	"6199081"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:19
L4	6	determin\$4 near10 domain\$4 near10 cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 09:14
L5	1	determin\$4 near10 DNS near10 cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:21
L6	52	domain\$4 near5 name\$1 near10 cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:24
L7	0	domain\$4 same DNS near10 cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:24
L8	4	DNS near10 cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:24
L9	13	DNS same cookie\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:47

BEST AVAILABLE COPY

EAST Search History

L10	0	resolv\$5 near10 domain\$1 near10 cookie\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:46
L11	1	DNS near10 lookup near10 quer\$4 near10 user\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 09:20
L12	0	DNS near10 lookup near10 prompt\$4 near10 user\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 09:20
L13	31	DNS near10 lookup and prompt\$4 near10 user\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 09:21
L14	1	DNS near10 lookup same match\$4 near10 user\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 09:21
S1	6	register\$4 near10 domain\$4 near10 name\$1 and multilingual and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:15
S2	64	domain\$4 near10 name\$1 and multilingual and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:19
S3	8	unavail\$8 near10 internet near10 domain near10 name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:17
S4	8	("5881131" "6009459" "6151624" "6256671" "6338082" "6442549" "6560634" "6678717").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 09:19
S5	4	domain\$4 near10 name\$1 and multilingual same register\$9 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:21

EAST Search History

S6	2	multilingual near10 domain\$4 near10 name\$1 near10 register\$9 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:28
S7	0	conver\$6 near10 ASCII near10 domain\$4 near10 name\$1 near10 register\$9 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:29
S8	2	conver\$6 near10 ASCII near10 domain\$4 near10 name\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:31
S9	21	conver\$6 near10 domain\$4 near10 name\$1 same register\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:31
S10	9	("5900871" "5974453" "6081774" "6125395" "6298341" "6338082" "6519589" "6560634" "6738827").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 09:39
S11	22	conver\$6 near10 character\$3 near10 set\$2 near10 encod\$4 same ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:40
S12	22	conver\$6 near10 character\$3 near10 set\$2 near10 encod\$4 same ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:40
S13	11	conver\$6 near10 character\$3 near10 set\$2 near10 encod\$4 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:27
S14	0	register\$4 near10 domain\$4 same character\$3 near10 set\$2 near10 encod\$4 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:45
S15	1	register\$4 near10 domain\$4 same character\$3 near10 encod\$4 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:45

EAST Search History

S16	7	ascii near10 compatib\$6 near10 encod\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:56
S17	0	register\$4 near10 domain\$4 near10 "all" near10 encod\$6 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:57
S18	6	register\$4 near10 domain\$4 near10 encod\$6 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:57
S19	8	704/1-10.ccls. and register\$4 near10 domain\$4 near10 name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 09:59
S20	9	704/1-10.ccls. and regist\$10 near10 domain\$4 near10 name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:01
S21	22	704/1-10.ccls. and regist\$10 near10 domain\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:01
S22	11	704/1-10.ccls. and regist\$10 near10 domain\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:02
S23	270	domain\$3 near10 name\$4 near10 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:03
S24	1	domain\$3 near10 name\$4 near10 encod\$4 same register\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:04
S25	10	domain\$3 near10 name\$4 near10 encod\$4 same register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:04

EAST Search History

S26	6	register\$4 near10 domain\$4 and multilingual and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:15
S27	64	domain\$4 near10 name\$1 and multilingual and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:15
S28	13	domain\$4 near10 name\$1 same multilingual and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:16
S29	4	regist\$7 with domain\$4 near10 name\$1 same encod\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 10:16
S30	9	("5446880" "5450581" "5678045" "5778373" "5787423" "5937163" "5956711" "6182148").PN. OR ("6560596").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 10:53
S31	0	convert\$4 near10 unicode near10 ascii near10 dns	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:27
S32	98	convert\$4 near10 unicode near10 ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:27
S33	29	convert\$4 near10 unicode near10 ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:28
S34	0	convert\$4 near10 unicode near10 ascii same domain\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:28
S35	2	convert\$4 near10 unicode same ascii same domain\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:55

EAST Search History

S36	7	ascii near10 compat\$6 near10 encod\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:45
S37	15822363	US "20040015584" A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:45
S38	2	"20040015584"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:52
S39	15822363	register\$4 near10 multilingual\$4 near10 ascii US "20040015584" A1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:52
S40	0	register\$4 near10 multilingual\$4 near10 ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:52
S41	0	register\$4 near10 multilingual\$4 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:52
S42	0	register\$4 near10 domain near10 language\$1 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:53
S43	0	regist\$4 near10 domain near10 language\$1 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:53
S44	0	regist\$4 near10 domain\$1 near10 language\$1 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:53
S45	10	regist\$4 near10 language\$1 same ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 13:53

EAST Search History

S46	3	convert\$4 near10 multilingual\$4 same ascii same domain\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:30
S47	185	convert\$4 with encod\$6 with ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:30
S48	1	convert\$4 with national near5 encod\$6 with ascii and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:30
S49	3	convert\$4 with encod\$6 with ascii and multilingual\$4 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:31
S50	12	convert\$4 with encod\$6 with ascii and domain with name\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:31
S51	3	convert\$4 with encod\$6 with ascii and regist\$6 with domain with name\$1 and @ad<"20001009"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 14:31
S52	8	("5881131" "6009459" "6151624" "6256671" "6338082" "6442549" "6560634" "6678717").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 14:55
S53	9	("5900871" "5974453" "6081774" "6125395" "6298341" "6338082" "6519589" "6560634" "6738827").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 15:55
S54	24	"5337233"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/13 15:57
S55	19	"6182148"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/17 08:08

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant:

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☒ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☒ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.